## Primary Cells LRS Cone

Catalog #200-0093



Scientists Helping Scientists™ | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713 INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

## **Product Description**

Leukoreduction system (LRS) cones are used during the collection of leukapheresis products to reduce the leukocyte count from human blood collections. These products collect the leukocytes — which can then be further processed using cell separation products such as EasySep<sup>TM</sup> cell isolation kits — to purify cell populations for study.

Cells were obtained using Institutional Review Board (IRB)-approved consent forms and protocols.

Donor Status: Normal

Characterization Criteria: Donor virus testing

For donor details, refer to the lot-specific Certificate of Analysis.

## Stability and Storage

Product is shipped at ambient temperature and should be used or processed immediately upon receipt.

#### **Precautions**

Donor Screening: Donors are screened for HIV-1, HIV-2, hepatitis B, and hepatitis C.

If the donor has been screened within 90 days of donation the product will be shipped with negative test results from donor screening.

If the donor has not been screened within 90 days of collection, a test sample will be taken at the time of donation and the product will be shipped before the screening results are available. In the unlikely event that a test result is positive, the customer will be contacted as soon as possible (usually within 24 - 72 hours from the time of shipment).

Donors have been tested and found to be negative for HIV-1, HIV-2, hepatitis B, and hepatitis C prior to donation. As testing cannot completely guarantee that the donor was virus-free, THIS PRODUCT SHOULD BE TREATED AS POTENTIALLY INFECTIOUS and only used following appropriate handling precautions such as those described in biological safety level 2. When handling this product, do not use sharps such as needles and syringes.

STEMCELL cannot guarantee the biological function or any other properties associated with performance of cells in a researcher's individual assay or culture systems. STEMCELL assures the cells will meet the specifications only when assessed, before washing, by our test methods.

FOR IN VITRO RESEARCH USE ONLY. NOT APPROVED FOR DIAGNOSTIC, THERAPEUTIC, OR CLINICAL APPLICATIONS.

NOT APPROVED FOR HUMAN OR VETERINARY USE IN VIVO.

# **Primary Cells**

**LRS Cone** 



## Handling / Directions for Use

Immediate processing of the LRS cone upon arrival is recommended, as follows:

Flush LRS cone sample from the chamber into a 50 mL conical tube (e.g. Catalog #38010) using phosphate-buffered saline (PBS) containing 2% fetal bovine serum (FBS). Centrifuge at  $800 \times g$  for 10 minutes, then remove and discard supernatant. Add 10 mL of desired medium to resuspend the cell pellet.

### **Tips**

For a protocol on performing total nucleated cell counts using a hemocytometer, refer to https://www.stemcell.com/techtips.

## **Accessory Products**

PRODUCT NAME	CATALOG #
Iscove's Modified Dulbecco's Medium (add 10% fetal bovine serum)	36150
DMEM with 4500 mg/L D-Glucose (add 10% fetal bovine serum)	36250
RPMI 1640 Medium (add 10% fetal bovine serum)	36750
Trypan Blue	07050
DNase I Solution (1 mg/mL)	07900

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2020 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists, and EasySep are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.