

CellPore™ Delivery Media



Scientists Helping Scientists™ | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

[INFO@STEMCELL.COM](mailto:info@stemcell.com) • [TECHSUPPORT@STEMCELL.COM](mailto:techsupport@stemcell.com)

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Intracellular delivery media for use with CellPore™ Transfection System

Catalog #100-1023	CellPore™ Delivery Medium A	2.5 mL
#100-2224	CellPore™ Delivery Medium B	5 mL

Product Description

CellPore™ Delivery Media are specifically formulated for optimal transfection efficiency and cell viability during mechanoporation using CellPore™ Transfection System (Catalog #100-0946). CellPore™ Delivery Medium A (Catalog #100-1023) supports the efficient transfection of diverse cargo to a variety of cells, such as human T cells, NK cells, B cells, peripheral blood mononuclear cells (PBMCs), CD34+ hematopoietic stem and progenitor cells (HSPCs), and murine T cells. CellPore™ Delivery Medium B (Catalog #100-2224) is optimized for use with human induced pluripotent stem cells (hiPSCs) and human embryonic stem cells (hESCs).

Properties

Storage:	Store at 2 - 8°C. Do not freeze.
Shelf Life:	Stable until expiry date (EXP) on label.

Directions for Use

Use in combination with CellPore™ Delivery Cartridges. Refer to the Product Information Sheet for CellPore™ Delivery Cartridges (Document #10000034840) for more information.

1. Allow CellPore™ Delivery Medium to warm to room temperature (15 - 25°C) before use.
2. Prepare a single-cell suspension and perform a viable cell count.
3. Centrifuge the required number of cells at 300 x g for 5 - 10 minutes at room temperature. Remove supernatant completely.
4. Gently resuspend the cell pellet in CellPore™ Delivery Medium according to the number of reactions required.

NOTE: Generally, a total volume of ~50 µL per reaction is recommended unless otherwise stated.

5. Divide the cell suspension into aliquots based on the number of reactions needed. To each aliquot, add the required amount of cargo and/or fluorescent controls (e.g. CellPore™ FITC-Dextran [Catalog #100-1024]).

NOTE: For best results, the total amount of cargo added should not exceed 10% of the reaction volume. A final cargo concentration of 0.1 mg/mL per reaction represents a good starting point for optimization.

6. Transfer the cell-cargo suspension to a CellPore™ Delivery Cartridge and run the samples using CellPore™ Transfection System.

NOTE: For complete instructions, refer to the technical manual for CellPore™ Transfection System (Document #10000018433), available at stemcell.com, or contact us to receive a copy.

Related Products

For related products, including CellPore™ Transfection System, CellPore™ Delivery Cartridges, or CellPore™ positive control cargo, visit www.stemcell.com, or contact us at techsupport@stemcell.com.

The purchase of a CellPore™ Transfection System, CellPore™ Delivery Cartridges, and associated reagents ("CellPore™ Products") conveys to the purchaser a limited, non-exclusive, non-transferable license to use CellPore™ Products, in accordance with STEMCELL's Terms and Conditions of Sale (www.stemcell.com/terms-and-conditions-general) and all applicable laws and regulations, and solely for research-use-only applications (which applications exclude any commercial application or any therapeutic, prophylactic, diagnostic application, as well as any development and/or commercialization of products therewith or developed therefrom). CellPore™, SQZ™, Cell Squeeze™, and Empower Cells to Change Lives™ are trademarks of STEMCELL Technologies Canada Inc., following its acquisition of SQZ Biotech. Nothing in this agreement grants the purchaser any rights to use these trademarks without prior written permission from STEMCELL. STEMCELL or its licensor(s) grant no additional license rights other than those explicitly granted herein, and except for such limited license rights, all other intellectual property and proprietary rights in and to CellPore™ Products are and shall remain the exclusive property of STEMCELL and its licensors. The purchaser of CellPore™ Products agrees to prevent unauthorized use, access, copying, or disclosure of any intellectual property comprised in CellPore™ Products. The purchaser shall not, and shall not permit anyone to, copy, create any derivative work, reverse engineer, disassemble, decompile, or make improvements to CellPore™ products. Users and purchasers of CellPore™ products hereby grant to STEMCELL exclusive ownership and all rights, title, and interest in and to any improvements made, by purchasers or users, to the CellPore™ products (including any improvements by purchasers or users to the intellectual property directly related to CellPore™ products), provided however that the user or purchaser who makes the improvement retains a limited, non-transferable license to use such improvement for its internal, non-commercial research use, in accordance with this agreement, only so long as such user or purchaser is in compliance with this agreement. All data, information, and results (to the extent they do not constitute improvements of CellPore™ products) entered, stored, compiled, generated, and/or analyzed by purchasers of CellPore™ products using the CellPore™ products in accordance with all of the foregoing shall be the property of such purchaser. CellPore™ Transfection System and CellPore™ Delivery Cartridges ("CellPore™ Products") are protected by patents in the U.S. and elsewhere. More information can be found at www.cellpore.com. The list of products and patents contained therein are subject to change as a result of routine prosecution and dependent on the patent life cycle as determined by the laws of each jurisdiction in which a relevant patent is in effect.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED. FOR ADDITIONAL INFORMATION ON QUALITY AT STEMCELL, REFER TO WWW.STEMCELL.COM/COMPLIANCE.

Copyright © 2026 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists, and CellPore are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.