



"The Big Easy" EasySep™ Magnet

Magnet for Column-Free Immunomagnetic Separation

For isolating up to 1×10^9 cells

Catalog # 18001



Scientists Helping Scientists™ | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

[INFO@STEMCELL.COM](mailto:info@stemcell.com) • [TECHSUPPORT@STEMCELL.COM](mailto:techsupport@stemcell.com)

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

FOR RESEARCH USE ONLY. NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES.

Product Description

"The Big Easy" EasySep™ Magnet is an anodized aluminum body housing rare earth magnetic elements.

"The Big Easy" EasySep™ Magnet is designed for cell separation procedures using EasySep™ reagents when processing a large number of cells (up to 1×10^9 cells), or when using RoboSep™-S. "The Big Easy" EasySep™ Magnet generates a high-gradient magnetic field in the interior cavity that is strong enough to separate cells labeled with magnetic EasySep™ particles without the use of columns. "The Big Easy" EasySep™ Magnet is designed to hold a standard 17 x 100 mm (14 mL) polystyrene tube.

Properties

Storage: Store at 15 - 25°C.

Shelf Life: Not Applicable

STRONG MAGNETIC FIELD: Keep away from pacemakers, magnets, computer disks, watches, and other objects that respond to magnetic fields.

Handling / Directions For Use

"The Big Easy" EasySep™ Magnet is only for use with certain EasySep™ kits. Follow "The Big Easy" EasySep™ instructions provided with the EasySep™ cocktail of your choice. If your cell type or sample is not listed on www.stemcell.com, please contact techsupport@stemcell.com.

The EasySep™ Magnet is designed to hold a 17 x 100 mm polystyrene tube (e.g. Corning Catalog #352057).

The size of the o-ring was selected for polystyrene tubes. Polystyrene tubes were chosen because recovery is typically better than with polypropylene tubes. Some customers may prefer to use polypropylene tubes because monocytes may adhere to polystyrene.

CARE OF MAGNET: After completing a cell separation, wipe the magnet clean with distilled water and then with alcohol to dry the magnet. To disinfect the magnet, wipe with 10% diluted household bleach and then wipe off with a water-dampened cloth to avoid corrosion of metal parts. Do not submerge the magnet in liquid.



STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485 MEDICAL DEVICE STANDARDS.

Copyright © 2015 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists, and EasySep are trademarks of STEMCELL Technologies Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.