

Small Molecules

BIO-Acetoxime

WNT pathway activator; Inhibits GSK3

Catalog # 73322

1 mg



Scientists Helping Scientists™ | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713


INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Product Description

BIO-Acetoxime is an analog of the GSK3 inhibitor BIO (Catalog #72032). It potently inhibits GSK3 α and GSK3 β (IC_{50} = 10 nM), and less potently inhibits cyclin-dependent kinases Cdk5/p25, Cdk2/A, and Cdk1/B (IC_{50} = 2.4, 4.3, and 63 μ M, respectively; Meijer et al.; Polychronopoulos et al.). By inhibiting GSK3 β , BIO-Acetoxime blocks β -catenin phosphorylation and degradation, thereby allowing it to activate transcription of WNT pathway-controlled genes (Meijer et al.).

Molecular Name:	BIO-Acetoxime
Alternative Names:	BIA; 6-Bromoindirubin-3'-acetoxime; GSK-3 inhibitor X
CAS Number:	740841-15-0
Chemical Formula:	C ₁₈ H ₁₂ BrN ₃ O ₃
Molecular Weight:	398.2 g/mol
Purity:	≥ 95%
Chemical Name:	3-[3-[(acetyloxy)imino]-1,3-dihydro-2H-indol-2-ylidene]-6-bromo-1,3-dihydro-2H-indol-2-one
Structure:	



Properties

Physical Appearance:	A crystalline solid
Storage:	Product stable at -20°C as supplied. Protect from prolonged exposure to light. For long-term storage store with a desiccant. Stable as supplied for 12 months from date of receipt.
Solubility:	· DMSO ≤ 25 mM For example, to prepare a 10 mM stock solution in DMSO, resuspend 1 mg in 251 μ L of DMSO. Prepare stock solution fresh before use. Information regarding stability of small molecules in solution has rarely been reported, however, as a general guide we recommend storage in DMSO at -20°C. Aliquot into working volumes to avoid repeated freeze-thaw cycles. The effect of storage of stock solution on compound performance should be tested for each application. Compound has low solubility in aqueous media. For use as a cell culture supplement, stock solution should be diluted into culture medium immediately before use. Avoid final DMSO concentration above 0.1% due to potential cell toxicity.

Published Applications

IMMUNOLOGY

- Inhibits CD8⁺ effector T cell differentiation (Zhou et al.).
- Suppresses viral gene expression and protects oral epithelial cells from herpes simplex virus (HSV) 1 infection (Hsu & Hung).

References

- Hsu M-J & Hung S-L. (2013) Antiherpetic potential of 6-bromoindirubin-3'-acetoxime (BIO-acetoxime) in human oral epithelial cells. Arch Virol 158(6): 1287–96.
- Meijer L et al. (2003) GSK-3-selective inhibitors derived from Tyrian purple indirubins. Chem Biol 10(12): 1255–66.
- Polychronopoulos P et al. (2004) Structural basis for the synthesis of indirubins as potent and selective inhibitors of glycogen synthase kinase-3 and cyclin-dependent kinases. J Med Chem 47(4): 935–46.
- Zhou X et al. (2010) Differentiation and persistence of memory CD8(+) T cells depend on T cell factor 1. Immunity 33(2): 229–40.

Related Small Molecules

For a complete list of small molecules available from STEMCELL Technologies, visit www.stemcell.com/smallmolecules or contact us at techsupport@stemcell.com.

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2017 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.